

GE211 Warping Machine

GB(国家标准)
GB/T 22296-2008



普通类

GE211型整经机适用于锦、涤长丝、低弹丝、粘胶丝、棉纱、腈纶纱等短纤纱的整经工艺。

GE211 warping machine is suitable for warping polyamide and polyester filament, low elastic polyester fiber, viscose, and short-fiber yarn such as cotton yarn.

主要技术参数

- 1、适用盘头: A.366×Φ450 (毫米) /14"×Φ17" (英寸)
- 2、整经头数: 380锭 (可根据用户需要定做)
- 3、整经线速度: 100~600米/分钟
- 4、电机功率: 3千瓦
- 5、外形尺寸 (长 × 宽 × 高) :
- 车头: 955×1355×955 (毫米)
- 全机: 16000×2268×2300 (毫米)

Main Technolongy Parameter

- 1.Beam size: 366 × Φ450 (mm) /14" × Φ17" (inch).
- 2.Warping creel: 380 cones (or at customer's option).
- 3.Warper speed: 100~600m/min.
- 4.Motor Power: 3KW.
- 5.Dimensions(L*W*H):
Warp head: 955 × 1355 × 955(mm)
Overall: 16000x2268x2300(mm).

主要特点

- 1、主传动系统采用变频器调速，传感器反馈控制来实现线速度恒定。
- 2、盘头装卸自动化。
- 3、人字筘横向位置、幅宽调节均为电动方式。
- 4、具有转数计数和定转自停功能。
- 5、配置加油器、张力装置。

Main Features

1. Main motor driver speed is controlled by frequency transformer and a sensor, which insures the constant linear speed.
2. Handle warp beam automatically.
3. The extension reed and fabric width can be adjusted by electricity drive.
4. It has the rotation counter which can self-stop when up to a value.
5. The machine contains the oiling device and the tensional device.